

Topclass I corner







Details





Handle made of wood and stainless steel, AISI 316L.


Hinges certified for 30,000 openings.

Heater covered with hemlock wood.

Invisible joints with no visible screws.











| Function | ns and features | Standard | Optional |
|-------------------------|--|----------|----------|
| | Control unit | • | |
| 5 | Bucket, ladle, headrest | • | |
| $\overline{\mathbb{Z}}$ | Thermo-hygrometer, hourglass | • | |
| | External sides as per configurations | • | |
| \$ | Loudspeakers | | • |
| ** | Aromatherapy | | • |
| | Biosauna (approx. 50°C, humidity 50-60%) | | • |
| | Touchscreen control unit | | • |
| * | Bluetooth | | • |
| | Warm white perimetral lighting | | • |
| | Starry sky RGB lighting | | • |
| \11/ | Warm white light behind the backrest | • | |
| //// | Warm white light below the bench | • | |
| | Panic button | | • |
| | Heater protection | | • |
| | Compatible with home automation systems | | • |

Technical Data


| Features | Finnish sauna |
|---|---|
| Temperature | 60 – 90°C |
| Relative humidity | 10 – 15% |
| Heating system | Electric heater suitable for prologued professional use |
| Control system | External controls with remote activation |
| Voltage | Standard 400V up to 6 kW, 230V on request |
| Electric power | Depending on size |
| Wall material | Natural dried Canadian Hemlock wood. This warm-coloured wood is extremely durable and has no knots |
| Wall decoration | Horizontal strips |
| Wood fragrance | •0000 |
| Wall thickness | mm 68 |
| Floor | A hard, fixed grid of wood, to be positioned on the existing floor |
| | |
| Door | Tempered glass. Door clear width: 70x199 cm |
| Door Bench design | Tempered glass. Door clear width: 70x199 cm Suspended |
| | |
| Bench design | Suspended |
| Bench design Bench material | Suspended Wide strips of athermic Abachi wood |
| Bench design Bench material Lighting | Suspended Wide strips of athermic Abachi wood LED strips behind the backrest and below the bench |
| Bench design Bench material Lighting Light colour | Suspended Wide strips of athermic Abachi wood LED strips behind the backrest and below the bench Warm white 3000 K |
| Bench design Bench material Lighting Light colour Customer goods To be arranged | Suspended Wide strips of athermic Abachi wood LED strips behind the backrest and below the bench Warm white 3000 K Including Stenal Classic essence 0.5 I Perfectly horizontal and even floor, covered in washable material (we recommend gres porcelain stoneware), power supply next to the |
| Bench design Bench material Lighting Light colour Customer goods To be arranged by the Customer | Suspended Wide strips of athermic Abachi wood LED strips behind the backrest and below the bench Warm white 3000 K Including Stenal Classic essence 0.5 I Perfectly horizontal and even floor, covered in washable material (we recommend gres porcelain stoneware), power supply next to the electric panel |
| Bench design Bench material Lighting Light colour Customer goods To be arranged by the Customer Regular maintenance | Suspended Wide strips of athermic Abachi wood LED strips behind the backrest and below the bench Warm white 3000 K Including Stenal Classic essence 0.5 I Perfectly horizontal and even floor, covered in washable material (we recommend gres porcelain stoneware), power supply next to the electric panel Clean using a wet cloth and a few drops of Destacryl (recommended) |


Topclass S







Topclass M






Topclass L







Topclass XL





Topclass PRO





Topclass MAXI

